



GEORGE R. COLLINS, P.E. OF COLLINS ENGINEERING GROUP HAS BEEN CONTRACTED IN COMPLIANCE WITH 310 CMR 14.00A TO PREPARE THE APPROVED DESIGN PLANS AND ALL LOCAL REQUIREMENTS AND CODES FOR THE SEWERAGE DISPOSAL SYSTEM UPGRADE. THE DESIGN HAS BEEN SUBMITTED TO THE BOARD OF HEALTH.

GEORGE R. COLLINS, P.E.
DATE

ELEVATION SCHEDULE:

DESCRIPTION	DESIGN	AS-BUILT
4" INV. AT BUILDING (EXISTING)	145.1	145.1
4" INV. AT SEPTIC TANK (IN)	143.85	143.85
4" INV. AT SEPTIC TANK (OUT)	143.50	143.50
8" INV. AT FLOOD CHAMBER (IN)	143.50	143.50
8" INV. AT FLOOD CHAMBER (OUT)	143.25	143.25
8" INV. AT DIS. BOX (IN)	148.25	148.25
8" INV. AT DIS. BOX (OUT)	148.00	148.00
8" INV. AT DIS. BOX (AS)	148.02	148.19
ELEVATION AT BOTTOM OF GAS DRAIN/WATER ELEVATION	145.30	145.40

PROJECT NO. 15-177-2086
FIG. 2 OF 205

DRAWING TITLE	AS-BUILT PLAN
PROJECT	SUBSURFACE SEWAGE DISPOSAL SYSTEM UPGRADE
LOCATION	27 KING ARTHUR ROAD, NORTH EASTON, MA
OWNER	JAMES WRIGHT
DESIGNED BY	GEORGE R. COLLINS
CHECKED BY	GEORGE R. COLLINS
APPROVED BY	GEORGE R. COLLINS
DATE	12-23-16
SCALE	1" = 30'



BOARD OF HEALTH APPROVED
EASTON BOARD OF HEALTH
APPROVED FOR THE BOARD OF HEALTH
DATE: 12/23/16

